


YOU'RE ON THE TRACK TO THE WONDERS OF TRAVEL

with the world at your door...wherever you go...

Kenskill



D12-103

Dec 31 1967
Void
Void Oct, 15, 1968

Kenskill

Wide-Track design... styling of the 70's

The elegance and richness of the Kenskill Series decor is evident at first glance. For the customer who is unwilling to settle for anything less than the finest in travel trailers, Kenskill's advanced styling and road-holding wide-track design make it the outstanding value in its field. Kenskill travel trailers are available in six models from 19′ to 34′. All sizes are available with complete self-containment and models 300 and 340 offer a tip-out living room option. Kenskill trailers have enjoyed an outstanding reputation for quality since 1946 and afford the purchaser with higher resale value. A full one year warranty (up to 3 times longer than competition) assures the buyer of complete satisfaction.

CHECK THESE EXCLUSIVE KENSKILL FEATURES:


• Heavy-duty steel chassis • Aluminum sealed underbelly • Heavily insulated roof, floors and walls • Heavy gauge aluminum exteriors • Finely finished wood interiors • Electrical system engineered to provide AC/DC, interior and exterior power source use.






Kenskill brings all the joy of travel with the comforts and convenience of home.







Karousell

Luxury at a budget price

In answer to continual demand from thousands of Kenskill fans for a lightweight, low-priced, high quality travel trailer, Kenskill has created the all new Karousell line. Starting with a new low-profile 15½′ standard model, the Karousell is today's best value for the budget conscious customer. Bright and cheerful interiors combined with livable floor plans assure you of years of satisfied use. We invite you to compare Karousell with its competition, feature for feature, dollar for dollar. See for yourself why Karousell is the value leader in its price range.

MOST LUXURY FEATURES ARE STANDARD WITH THE KAROUSELL


• Anodized windows with removable screens • Two-wheel electric brakes • Aluminum underbelly • Custom interiors • Custom furniture and drapes • Vinyl-clad interior panelling • Fully insulated • Dual-voltage lighting system . . . and many more!





Kenskill brings all the joy of travel with the comforts and convenience of home.











Plans To Choose From For 1969

- Private sleeping facilities with tub bath




ED




225 DOUBLE BED

Approximate overall weight 4200 lbs. – Approximate hitch weight 500 lbs.

) - New front lounge entertainment center




ED




260 DOUBLE BED

Approximate overall weight 4700 lbs. – Approximate hitch weight 450 lbs.

Spacious tub bath with tip-out room option




BED




290 DOUBLE BED

– Approximate overall weight 5100 lbs. – Approximate hitch weight 650 lbs.
t double door refrigerator – no self-containment.

- Convenience designed for extended traveling



BED



340 DOUBLE BED

– Approximate overall weight 5800 lbs. Approximate hitch weight 850 lbs.
ot double door refrigerator – no self-containment.


Your certified Kenskill travel trailer dealer... creating greater "Living Room" since 1946

DISTRIBUTED BY:

Bob Powell Sales
935 Bellevue Rd.
Williamston
Phone 655-2929

Kenskill CONSTRUCTION FEATURES*

QUALITY CONSTRUCTION AND CRAFTSMANSHIP TO THE VERY CORE!



SELF-CONTAINED EQUIPMENT*

• MARINE TOILET • BATTERY AND BATTERY BOX • LARGE CAPACITY PRESSURE WATER SYSTEM • GAS AND ELECTRIC REFRIGERATOR • AIR COMPRESSOR • SHOWER WITH FLEXIBLE CONTROL • TWIN 5 GALLON BUTANE TANKS • DUAL VOLTAGE LIGHTING SYSTEM

*Minimum equipment included in all Kenskill and Mark II self-contained units.



Kenskill lets you really live . . . anywhere!









Kenskill Mark II

The new dimension in travel trailers...modestly priced

The Kenskill Mark II Series features years-ahead styling and design with a modest price tag you can afford. Standard features on every Mark II model include: wide-track wheel placement, fiberglass fenders, contoured lower exterior accent panels, post formed contoured sink tops, rock guard awning, 4-burner range with glass door, night light, hose carrier bumper, power range hood with light, space heater, and complete automatic self-containment. Functional floor plans, solid construction features, and exciting interior decor combine to make the Mark II by Kenskill the best buy in its price class. Kenskill's road-holding wide-track design has been incorporated in the Mark II, making it the only popular priced travel trailer so equipped. Traditional Kenskill quality workmanship and finish, combined with years-ahead styling of the '70's, have made the Mark II the West's most popular new travel trailer.

ADDITIONAL STANDARD EQUIPMENT:

• Marine toilet with 30-gallon holding tank • 41-gallon pressure water system • Battery and box • Twin 5-gallon butane tanks • Shower with flexible control • Air compressor • Gas-electric refrigerator • Dual-voltage lighting system.









Kenskill TRAILER CORPORATION

A SUBSIDIARY OF REDMAN INDUSTRIES, INC., DALLAS, TEXAS

11321 Goss Street, Sun Valley, California 91352



GET MOVING!

TCA

Prepared by BEAR ADVERTISING, INC. • Hollywood, California Printed in U.S.A.



Mark II
by
Kenskill

Road Holding
Wide-Track
Design with
Styling of the 70's

KENSKILL TRAILER CORPORATION
A subsidiary of Redman Industries, Inc.,
Dallas, Texas

11321 GOSS STREET, SUN VALLEY, CALIF. 91352
PHONE: (213) 875-1190

4 exciting New Models for 1969

General Specifications:

Wide track wheel location – contoured sink top – fiberglass fenders – automotive type lower accent panels – aluminum underfloor – heavy duty frame and axle – 1 piece aluminum roof – prefinished aluminum exterior – 1¼" heavy density batten type fiberglass insulation throughout – cushioned seamless vinyl floor covering – 2" laminated sidewall construction – hardwood framed raised panel cabinet doors – electric brakes and brake control – battery and battery box – 41 gallon pressure water system – 6 gallon quick recovery hot water heater – gas and electric refrigerator – powered range hood with light, translucent roof vent – anodized windows with removable screens – air compressor – exterior baggage doors – dual 5 gallon butane tanks with regulator – sliding towel rack under sink – retractable step – 4-burner range with glass oven door – hose carrier bumper – flexible shower control with watersaver device – insulated wheel wells with vapor barrier – dual compartment sink with cover – heater – water saver marine toilet with 30 gallon holding tank, for up to 300 uses.

YOUR CERTIFIED KENSKILL DEALER:

Mark II Kenskill


4 EXCITING MODELS

Model 18 - Features choice of front or side dinette


775 x 15 tires with wide track design – complete automatic self containment – 4 cubic foot gas/electric refrigerator – width 8'0" – inside height 75" – length 18'8".

Approximate hitch weight
- Single axle model – 350 lbs.
- Tandem axle model – 280 lbs.

Approximate overall weight
- Single axle model – 3000 lbs.
- Tandem axle model – 3100 lbs.




M18 FRONT DINETTE



M18 SIDE DINETTE

Model 19½ - Features wrap-around side dinette


Tandem axles with 775 x 15 tires, featuring wide track placement for superior roadability – complete automatic self containment with 6 cubic foot gas/electric refrigerator – width 8'0" – inside height 75" – length 20'4" – approximate overall weight 3200 lbs. – approximate hitch weight 350 lbs. – six exciting interior color selections – sleeps 6



M19½

Model 21½ - Features front twin beds or twin gauchos


Tandem axles with 775 x 15 tires, featuring road holding wide track design – complete automatic self-containment with 6 cubic foot gas/electric refrigerator – width 8'0" – inside height 75" – length 21'9" – approximate overall weight 3550 lbs. – approximate hitch weight 380 lbs. – sleeps 4, with optional overhead bunk increasing sleeping capacity to 6.




M21½

Model 23 - Features choice of twin or double bed with tub bath

Tandem axles with 775 x 15 tires, featuring road holding wide track design – complete automatic self-containment with 6 cubic foot gas/electric refrigerator – width 8'0" – inside height 75" – length 23'8" – approximate overall weight 3900 lbs. – approximate hitch weight 400 lbs. – sleeps 4, with optional overhead bunk increasing sleeping capacity to 6.



M23 TWIN BED



M23 DOUBLE BED

NOTE: *Due to continued product improvement, prices, equipment and specifications on all models subject to change without notice.*

Kenskill
TRAILER CORPORATION

11321 Goss Street
Sun Valley, California 91352

1969 KENSKILL CONSTRUCTION FEATURES

EXTERIOR

1. Heavy Gauge Prefinished Aluminum Siding
2. Aluminum Metal Underbelly
3. One-Piece Aluminum Roof
4. Coved Aluminum Bottom Skirting (no rough edges) on each side
5. WIDE-TRACK WHEEL LOCATION FOR OUTSTANDING STABILITY, a KENSKILL West Coast exclusive
6. Fiberglass Fenders

FLOOR CONSTRUCTION

1. Frame: 5" C-Channel on Models 290 and 340
 4" C-Channel on all other models
2. Floor: 4" Floor joists (16" spacing) with 3 longitudinal blocks/joist on all Kenskill Series Models 2" floor joists on all other models.
 a. Insulation: 1 1/4" Fiberglass heavy density insulation (R-Factor, .23)
 b. 1/2" Underlayment grade plywood floor, glued and stapled to floor joists
 c. Floor Covering:
 1. Uncarpeted areas: 100% vinyl cushioned rolled goods
 2. Carpeted areas: 100% continuous filament high-low pattern carpet with separate pad

SIDEWALL CONSTRUCTION

1. 2" sidewall construction with laminated studding and full length members running vertically and horizontally
2. 3 belt-rails for superior strength
3. All interior panelling laminated to sidewall studs
4. Insulation: 1 1/4" Batt type fiberglass heavy density insulation (R-Factor .23)
5. Kenskill series walls covered with foam core insulation board
6. All corners steel banded 3 places for superior strength

ROOF CONSTRUCTION

1. One piece Aluminum roof placed over roof rafters
2. Insulation: 1 1/4" fiberglass heavy density insulation (R-Factor .23)
3. Roof covered (Kenskill Series) with foam core insulation board

CABINETRY

1. DOUBLE STRENGTH CABINET CONSTRUCTION WITH LAMINATED PLYWOOD FACINGS
2. STEEL CENTER DRAWER GUIDES*
3. NYLON (STEEL SUPPORTED) CENTER DRAWER ROLLER*
4. NYLON ROLLERS AT EACH DRAWER SIDE FOR SMOOTH OPERATION*
5. DRAWER LOCKS (BUILT-IN SELF LOCKING FEATURE ON MARK II)

*Kenskill series feature, not available on Mark II series

Kenskill TRAILER CORPORATION

Sun Valley, California 91352

1969 STANDARD EQUIPMENT GUIDE

OCTOBER 1, 1968

KENSKILL FOR QUALITY	KAROUSELL				MARK II					KENSKILL					
MODEL	K15	K15W	K17	K17T	M18	M18T	M19 1/2	M21 1/2	M23	225	260	290	290SC	340	340SC
WIDE TRACK	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FORCED AIR HEAT (DUCTED)	NA	NA	NA	NA	NA	NA	NA	NA	NA	X	X	X	X	X	X
THERMOSTAT	NA	NA	NA	NA	0	0	0	0	0	X	X	X	X	X	X
UNITROL	0	0	0	0	X	X	X	X	X						
HEATER	0	0	X	X	X	X	X	X	X	X	X	X	X	X	X
POWER RANGE HOOD W/LIGHT	NA	NA	0	0	X	X	X	X	X	X	X	X	X	X	X
REFER SIZE IN CUBIC FEET	0	0	4½	4½	4½	4½	6	6	6	7	7	14	7	14	7
TRUCK TIRES	NA	NA	0	NA	0	NA	NA	NA	NA	X	X	X	X	X	X
TWIN 5 GALLON TANKS	0	0	X	X	X	X	X	X	X	X	X	X	X	X	X
NUMBER OF AXLES	1	1	1	2	1	2	2	2	2	2	2	2	2	2	2
SLIDING TOWEL RACK	NA	NA	NA	NA	X	X	X	X	X	X	X	X	X	X	X
HUB CAPS, HITCH BALL & BRAKE KIT	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ELECTRIC BRAKES	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
EXTERIOR STORAGE AREA	X	X	X	X	X	X	X	X	X	X	X	X	X		
COVED SINK TOPS					X	X	X	X	X	X	X	X	X	X	X
FRONT OVERHEAD BUNK	0	0	0	0	X	X	X	0	0	NA	NA	NA	NA		
BATTERY AND BOX	0	0	0	0	X	X	X	X	X	X	X		X		X
4 BURNER RANGE					X	X	X	X	X	X	X	X	X	X	X
CHATEAU OVEN (EYE LEVEL)								X	X	X	X	X	X	X	X
GLASS OVEN DOOR					X	X	X	X	X	X	X	X	X	X	X
TELEPHONE TYPE SHOWER HEAD			X	X	X	X	X	X	X	X	X	X	X	X	X
DOUBLE KITCHEN SINK					X	X	X	X	X	X	X	X	X	X	X
ROCK GUARD AWNING	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DRAWER LOCKS										X	X	X	X	X	X
NYLON DRAWER ROLLERS										X	X	X	X	X	X
SLIDING GLASS DOOR												X	X	X	X
FIBERGLASS FENDERS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NIGHT LIGHT					X	X	X	X	X						
PORCH LITE RECEP/SWITCH										X	X	X	X	X	X
TRANSLUSCENT ROOF VENTS					X	X	X	X	X	X	X	X	X	X	X
WIRED FOR AIR CONDITIONER										X	X	X	X	X	X
FOAM CORE DOUBLE INSULATION										X	X	X	X	X	X
COMPLETE SELF CONTAINMENT			X	X	X	X	X	X	X	X	X		X		X
MONOMATIC TOILET		X		0	0	0	0	0	0	0	0		0		0
DUAL VOLTAGE LIGHTING SYSTEM	X	X	X	X	X	X	X	X	X	X	X		X		X
GAS WATER HEATER			X	X	X	X	X	X	X	X	X	X	X	X	X
HOSE CARRIER BUMPER			X	X	X	X	X	X	X	X	X	X	X	X	X
WATER SYSTEM CAP. IN GAL.	20	20	26	26	41	41	41	41	41	41	41		41		41
HOLDING TANK SIZE IN GAL.				30	30	30	30	30	30	30	30		30		30

X = STANDARD EQUIPMENT 0 = OPTIONAL EQUIPMENT NA = NOT AVAILABLE

BECAUSE OF CONTINUED PRODUCT IMPROVEMENT, SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

A Subsidiary of ***REDMAN*** *Industries, Inc.*



MODEL K17T

1969 Karousell by Kenskill

Luxury at a budget price

KENSKILL TRAILER CORPORATION

A subsidiary of Redman Industries, Inc.,
Dallas, Texas

11321 GOSS STREET, SUN VALLEY, CALIF. 91352

PHONE: (213) 875-1190

Choice of 4 exciting New Models

General Specifications: All Models:

Wide track wheel location – anodized windows – fiberglass fenders – automotive type lower accent panels – aluminum underfloor – heavy duty frame and axle – 1 piece aluminum roof – prefinished aluminum exterior – heavy density fiberglass insulation throughout – cushioned seamless vinyl floor covering – 2" laminated sidewall construction – hardwood framed raised panel cabinet doors – electric brakes and brake control – rock guard awning.

Additional Features in K-17 Models


26 gallon pressure water system – 6 gallon quick recovery hot water heater – gas and electric refrigerator – roof vent – anodized windows with removable screens – air compressor – exterior baggage doors – dual 5 gallon butane tanks with regulator – retractable step – 3-burner range – hose carrier bumper – flexible shower control with watersaver device – heater – 30 gallon holding tank, featuring aqua magic toilet for up to 300 uses.

YOUR CERTIFIED KENSKILL DEALER:

Kenskill Karousell

Model K-15 Standard


7' wide – approximate weight 1900 pounds – approximate hitch weight 190 pounds – 100 lb. ice box – single butane tank with regulator – sleeps 4* – 20-gallon water storage with hand pump – overall length 15'11". 775 x 15 tires with wide track wheel placement – gas and electric refrigerator available.



WIDE TRACK STABILITY

Model K-15W With Monomatic Toilet

7' wide – approximate weight 1950 pounds – approximate hitch weight 190 pounds – 100 lb. ice box – single butane tank with regulator – sleeps 4* – 20-gallon water storage with hand pump – overall length 15'11. 775 x 15 tires with wide track wheel placement – gas and electric refrigerator optional.




TOILET MODEL

Model K-17 - Features Choice of Front or Side Dinette Single Or Tandem Axle


775 x 15 tires with wide track design – complete automatic self containment – 4 cubic foot gas/electric refrigerator – width 8'0" – inside height 75" – length 18'2" – available with three custom decor plans – sleeps 4* – optional lavatory.

Single Axle Model
Approximate overall weight – 2900 lbs.
hitch weight – 370 lbs.
Tandem Axle Model
Approximate overall weight – 3000 lbs.
hitch weight – 275 lbs.

* Front slide-out bunk optional increasing sleeping capacity to 6.



FRONT DINETTE



SIDE DINETTE

Kenskill

Wide-Track design... styling of the 70's

QUALITY CONSTRUCTION AND CRAFTSMANSHIP TO THE VERY CORE!

A Wide Variety of Models to Fit Every Buyers Needs



MODEL 225

GENERAL SPECIFICATIONS – 1969 MODELS

Wide track wheel location – tandem axles w/700x15 truck type tires – fiberglass fenders – automotive type lower accent panels – aluminum underfloor – heavy duty frame and axle – 1 piece aluminum roof – prefinished aluminum exterior – 1¼" heavy density batten type fiberglass insulation throughout – cushioned seamless vinyl floor covering – 2" laminated sidewall construction – hardwood framed raised panel cabinet doors – drawer locks – electric brakes and brake control – battery and battery box* – 41 gallon pressure water system* – 6 gallon quick recovery hot water heater* – 7 cubic foot gas and electric refrigerator* – powered range hood with light, translucent roof vent – anodized windows with removable screens – air compressor* – exterior baggage doors – dual 5 gallon butane tanks with regulator – sliding towel rack under sink – retractable step – hose carrier bumper – flexible shower control with water saver device – insulated wheel wells with vapor barrier – dual compartment sink with cover – heater – watersaver marine toilet with 30 gallon holding tank* for up to 300 uses – steel center suspension drawers with three nylon rollers per drawer, foam core insulation board on walls and roof, coved sink top, recessed medicine cabinet, chateau type eye level oven, forced air, thermostatically controlled ducted heat.

* Not included in models 290 and 340 standard.

KENSKILL TRAILER CORPORATION

A subsidiary of Redman Industries, Inc.,

Dallas, Texas

11321 GOSS STREET, SUN VALLEY, CALIF. 91352


PHONE: (213) 875-1190

NOTE: Due to continued product improvement, prices, equipment and specifications on all models subject to change without notice.


YOUR CERTIFIED KENSKILL DEALER:

8 Floor Plans To Choose From For 1969

Model 225 - Private sleeping facilities with tub bath




225 TWIN BED




225 DOUBLE BED

Width 8'0" – Length 23'9" – Approximate overall weight 4200 lbs. – Approximate hitch weight 500 lbs.

Model 260 - New front lounge entertainment center




260 TWIN BED




260 DOUBLE BED

Width 8'0" – Length 26'5" – Approximate overall weight 4700 lbs. – Approximate hitch weight 450 lbs.

Model 290 - Spacious tub bath with tip-out room option




290 TWIN BED




290 DOUBLE BED

Width 8'0" – Length 30'5" – Approximate overall weight 5100 lbs. – Approximate hitch weight 650 lbs.
Standard model: 14 cubic foot double door refrigerator – no self-containment.

Model 340 - Convenience designed for extended traveling



340 TWIN BED



340 DOUBLE BED

Width 8'0" – Length 34'9" – Approximate overall weight 5800 lbs. Approximate hitch weight 850 lbs.
Standard model: 14 cubic foot double door refrigerator – no self-containment.